



## Certificate of Analysis

Compliance Test

### Client Information:

**HARBOR CITY HEMP, LLC**  
3280 Suntree Blvd  
Suite 105  
MELBOURNE, FL 32940

Batch # G-D8CBN-0823  
Batch Date: 2023-07-31  
Extracted From: Hemp

Test Reg State: Florida

Production Facility: Harbor City Hemp  
Production Date: 2023-07-31

Order # HAR230731-050001  
Order Date: 2023-07-31  
Sample # AAES704

Sampling Date: 2023-08-01  
Lab Batch Date: 2023-08-01  
Completion Date: 2023-08-07

Initial Gross Weight: 112.379 g  
Net Weight: 82.579 g

Number of Units: 1  
Net Weight per Unit: 4128.950 mg



Product Image



**Potency  
Tested**

### Delta 8/Delta 10 Potency 13 - (LCUV)

Specimen Weight: 1516.600 mg

**Tested**

SOP13.052 (LCUV)


Pieces For Panel: 20

| Analyte          | LOD (%) | LOQ (%) | Result (mg/g) | (%)   |
|------------------|---------|---------|---------------|-------|
| Delta-8 THC      | 2.60E-5 | 0.015   | 6.380         | 0.638 |
| CBN              | 1.40E-5 | 0.015   | 5.310         | 0.531 |
| Delta-9 THC      | 1.30E-5 | 0.015   | 0.650         | 0.065 |
| CBC              | 1.80E-5 | 0.015   | <LOQ          | <LOQ  |
| CBD              | 5.40E-5 | 0.015   | <LOQ          | <LOQ  |
| CBDA             | 1.00E-5 | 0.015   | <LOQ          | <LOQ  |
| CBDV             | 6.50E-5 | 0.015   | <LOQ          | <LOQ  |
| CBG              | 2.48E-4 | 0.015   | <LOQ          | <LOQ  |
| CBGA             | 8.00E-5 | 0.015   | <LOQ          | <LOQ  |
| Delta-10 THC     | 3.00E-6 | 0.015   | <LOQ          | <LOQ  |
| Delta6a10a-THC   | 8.47E-5 | 0.015   | <LOQ          | <LOQ  |
| THCA-A           | 3.20E-5 | 0.015   | <LOQ          | <LOQ  |
| THCV             | 7.00E-6 | 0.015   | <LOQ          | <LOQ  |
| Total Active CBD |         |         | <LOQ          | <LOQ  |
| Total Active THC |         |         | 0.650         | 0.065 |



### Potency Summary

|   |  |
|---|--|
| <b>Total Delta 8</b><br>0.638% 26.340mg   | <b>Total Delta 10</b><br>None Detected       |
| <b>Total Active THC</b><br>0.065% 2.680mg | <b>Total Active CBD</b><br>None Detected     |
| <b>Total CBG</b><br>None Detected         | <b>Total CBN</b><br>0.531% 21.920mg          |
| <b>Other Cannabinoids</b><br>0%           | <b>Total Cannabinoids</b><br>1.234% 50.950mg |

  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, , LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.